ELSEVIER

Carbohydrate Research 282 (1996) C11–C13

CARBOHYDRATE RESEARCH

Contents

Regular papers

Improved protocol for the formation of *N*-(*p*-nitrobenzyloxy)aminoalditol derivatives of oligosaccharides
M. Pauly, W.S. York, R. Guillen, P. Albersheim and A.G. Darvill (Athens, GA, USA) 1

Molecular dynamics simulations of glycosides in aqueous solution
N.W.H. Cheetham and K. Lam (Sydney, Australia) 13

On the sweetness properties of aldoses: characterization of molecular active sites by computer simulation
E.I. Howard and J.R. Grigera (La Plata, Argentina). 25

Synthesis and structural characterization of $6^{I},6^{II}$-diamino-$6^{I},6^{II}$-dideoxy-cyclomaltoheptaose, a difunctionalized β-cyclodextrin
B. Di Blasio (Potenza, Italy), S. Galdiero, M. Saviano, C. Pedone, E. Benedetti (Naples, Italy), E. Rizzarelli, S. Pedotti, G. Vecchio (Catania, Italy) and W.A. Gibbons (London, UK) 41

Crystal structure of anhydrous hexakis-(2,3,6-tri-*O*-methyl)-cyclomaltohexaose (permethyl-α-cyclodextrin) grown from hot water and from cold NaCl solutions
T. Steiner and W. Saenger (Berlin, Germany). 53

Polymerized cyclomaltoheptaose (β-cyclodextrin, β-CD_p) inclusion complex formation with chlorogenic acid: solvent effects on thermochemistry and enthalpy–entropy compensation
P.L. Irwin, G. King and K.B. Hicks (Wyndmoor, PA, USA). 65

Synthesis and iron binding studies of *myo*-inositol 1,2,3-trisphosphate and (±)-*myo*-inositol 1,2-bisphosphate, and iron binding studies of all *myo*-inositol tetrakisphosphates
I.D. Spiers, C.J. Barker (Birmingham, UK), S.-K. Chung, Y.-T. Chang (Pohang, South Korea), S. Freeman (Birmingham, UK), J.M. Gardiner (Manchester, UK), P.H. Hirst (Bath, UK), P.A. Lambert, R.H. Michell, D.R. Poyner, C.H. Schwalbe (Birmingham, UK), A.W. Smith (Bath, UK) and K.R.H. Solomons (Manchester, UK) 81

Chemical synthesis of a hexasaccharide comprising the Lewis^x determinant linked β-(1 → 6) to a linear trimannosyl core and the precursor pentasaccharide lacking fucose
R.K. Jain and K.L. Matta (Buffalo, NY, USA) 101

Synthesis of sulfated octadecyl ribo-oligosaccharides with potent anti-AIDS virus activity by ring-opening polymerization of a 1,4-anhydroribose derivative
Y. Choi (Tokyo, Japan), T. Yoshida (Sapporo, Japan), T. Mimura, Y. Kaneko (Tokyo, Japan), H. Nakashima (Yamanashi, Japan), N. Yamamoto and T. Uryu (Tokyo, Japan) 113

The crystal structure of 6^1-(6-aminohexyl)amino-6^1-deoxycyclomaltoheptaose
D. Mentzafos (Athens, Greece), A. Terzis (Attiki, Greece), A.W. Coleman and C. de Rango (Chatenay-Malabry, France) 125

Sulfoaminoglucitols: synthesis of 2-amino-2,3 (and 2,6)-dideoxy-D-glucitol-3 (and 6)-sulfonic acids and X-ray crystal structure of the monohydrate of the 6-sulfo derivative
J.G. Fernández-Bolaños, S. García, J. Fernández-Bolaños, M.J. Diánez, M.D. Estrada, A. López-Castro and S. Pérez (Seville, Spain) 137

Structure of the O3 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *maltophilia*
A.M. Winn, C.T. Miles and S.G. Wilkinson (Hull, UK) 149

Maize starch fine structures affected by ear developmental temperature
T.-j. Lu, J.-l. Jane (Ames, IA, USA), P.L. Keeling and G.W. Singletary (Slater, IA, USA) 157

Elucidation of the subsite structure of bacterial saccharifying alpha-amylase and its mode of degradation of maltose
T. Suganuma (Kagoshima, Japan), M. Ohnishi (Kyoto, Japan), K. Hiromi (Fukuyama, Japan) and T. Nagahama (Kagoshima, Japan) 171

Notes
Decarboxylation of a sialic acid derivative
J.J. Potter and M. von Itzstein (Parkville, Australia) 181

The acetolysis of D-galactose diethyl dithioacetal
L.M. Lerner (New York, USA) 189

Information for authors C1

Regular papers
A comparative study of the dielectric relaxation behaviour of glucose, maltose, and their mixtures with water in the liquid and glassy states
T.R. Noel, R. Parker and S.G. Ring (Norwich, UK) 193

Novel conversion of aldopyranosides into 5-thioaldopyranosides via acyclic monothioacetals with inversion and retention of configuration at C-5
H. Hashimoto, M. Kawanishi and H. Yuasa (Yokohama, Japan) 207

Effect of gamma irradiation on the macromolecular integrity of guar gum
K. Jumel, S.E. Harding and J.R. Mitchell (Sutton Bonington, UK) 223

Radical-mediated bromination of peracetylated 5-thio-D-xylopyranosyl bromides: an easy access to the corresponding anomeric orthothiolactones
M. Baudry, M.-N. Bouchu, G. Descotes, J.-P. Praly (Villeurbanne, France) and F. Bellamy (Daix, France) 237

The chemical structure of amylose and amylopectin fractions of starch from tobacco leaves during development and diurnally–nocturnally
N.K. Matheson (Sydney, Australia) 247

Structure of the O-specific polysaccharide from *Burkholderia pickettii* strain NCTC 11149
L. Galbraith, R. George, J. Wyklicky and S.G. Wilkinson (Hull, UK) 263

Extraction, characterisation, and enzymatic degradation of lemon peel pectins
J.M. Ros, H.A. Schols and A.G.J. Voragen (Wageningen, The Netherlands) 271

Mannose receptor dependent uptake of ricin A_1 and A_2 chains by macrophages
F. Riccobono and M.L. Fiani (Rome, Italy) 285

Notes
4-(Arylamino)phenyl α-D-glucopyranosides as potential anti-HIV agents
J.C. Briggs and A.H. Haines (Norwich, UK) 293

Efficient synthesis of pyruvic acetals of carbohydrate vicinal diols: 3,4-*O*-(1-methoxycarbonyl)ethylidene-D-galactopyranoside and 5,6-*O*-(1-methoxycarbonyl)ethylidene-D-galactofuranoside, via 1-hydroxy-2-propanone acetals
K. Hiruma, J.-i. Tamura and H. Hashimoto (Yokohama 226, Japan) 299

Synthesis of *p*-toluenesulfinic esters of cellulose and β-cyclodextrin
C. Roussel, C. Popescu and L. Fabre (Marseille, France) 307

Synthesis of 1,2-anhydro-D-altropyranose and -D-allopyranose benzyl ethers
Y. Du, W. Mao and F. Kong (Beijing, People's Republic of China) 315

Characterization of carbohydrate components of an unusual hydrogel formed by seed coats of *Magonia pubescens* (Tingui)
P.A.J. Gorin, A.Z.A. Teixeira (Curitiba, Brazil), L.R. Travassos (Sao Paulo, Brazil), M.L.S. Labouriau (Brasília, Brazil) and M. Iacomini (Curitiba, Brazil) 325

Author Index C3

Subject Index C5

Contents C11